

1-Alkoxy-7-hydroxy-1,3-dihydrofuro[3,4-c]pyridinium Salts

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2018, Pleiades Publishing, Ltd. New salt structures have been synthesized from pyridoxal and various organic and inorganic acids.

<http://dx.doi.org/10.1134/S1070428018040103>

References

- [1] Kibardina, L.K., Chumakova, L.V., Gazizov, A.S., Burilov, A.R., and Pudovik, M.A., *Synthesis*, 2015, vol. 47, no. 5, p. 721.
- [2] Kibardina, L.K., Trifonov, A.V., Dobrynin, A.B., Burilov, A.R., Pudovik, M.A., and Sinyashin, O.G., *Heteroatom Chem.*, 2016, vol. 27, no. 4, p. 221.
- [3] Bogdanov, A.V., Kutuzova, T.A., and Mironov, V.F., *Russ. J. Gen. Chem.*, 2016, vol. 86, no. 3, p. 756.
- [4] Vagapova, L.I., Amirova, L.R., Burilov, A.R., and Pudovik, M.A., *Russ. J. Gen. Chem.*, 2016, vol. 86, no. 3, p. 725.
- [5] Chugunova, E.A., Akylbekov, N.I., Appazov, N.O., Makhrus, E.M., and Burilov, A.R., *Russ. J. Org. Chem.*, 2016, vol. 52, no. 6, p. 920.
- [6] Kibardina, L.K., Trifonov, A.V., Burilov, A.R., Pudovik, M.A., Dobrynin, A.B., and Pudovik, E.M., *Russ. J. Org. Chem.*, 2015, vol. 51, no. 10, p. 1510.
- [7] Sheldrick, G.M., *SADABS*, Madison, Wisconsin, USA: Bruker AXS, 1997.
- [8] Altomare, A., Cascarano, G., Giacovazzo, C., and Viterbo, D., *Acta Crystallogr., Sect. A*, 1991, vol. 47, p. 744.
- [9] Sheldrick, G.M., *SHELX-97. Programs for Crystal Structure Analysis (Release 97-2)*, Göttingen: University of Göttingen, 1997.
- [10] Farrugia, L.J., *J. Appl. Crystallogr.*, 1999, vol. 32, p. 837.
- [11] *APEX2 (Version 2.1), SAINTPlus. Data Reduction and Correction Program (Version 7.31A)*, Bruker Advanced X-ray Solutions, Madison, Wisconsin, USA: Bruker AXS, 2006.